CATALOGO PROFILI

2023/24

SEZIONE CARTONGESSO

info@led4led.com
www.led4led.com



Profili
Led Profiles

PROFILI 74ALP

74ALP090





End caps

PMMA semi-clear cover



Step 01



Step 02



Step 03



Step 04

PROFILI PER CARTONGESSO

Types of installation:



Material: Extruded aluminum
Dimension: 14.8×38.5mm
Length: MAX 3m
Compatible with 12.5mm drywall

CE IP20

74ALP185





FINISH

Anod. aluminum | white | Black

END CAPS

End Caps

DIFFUSERS

PC diffused

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector

Disposable cover

PROFILI 74HL

74HL062



End cap

Aluminum Profile

Alu Profile (Back)

Cover

PROFILI 74HL

74HL062

INSTALLATION 1:



Step1



Step2

INSTALLATION 2:



Step1



Step2

APPLICATION



Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

PROFILI PER SOFFITTO

74ALP129-I

Types of installation:

Material: Extruded aluminum
Dimension: 39.6×24.4mm
Length: MAX 3m
Compatible with 12.5mm drywall



CE IP20

FINISH

Anod. aluminum white Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC frosted

ACCESSORIES

Disposable cover



PROFILI PER CARTONGESSO

74ALP129

Types of installation:

Material: Extruded aluminum
Dimension: 47.8×12mm
Length: MAX 3m
Compatible with 12.5mm drywall



CE IP20

FINISH

Anod. aluminum white Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC frosted

ACCESSORIES

Disposable cover



Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

PROFILI 74ALP

74ALP069



Types of installation:

Material: Extruded aluminum
Dimension: 42.2×48.1mm
Length: MAX 3m
Compatible with 12.5mm drywall



74ALP159-TR1



CE IP20

FINISH

Anod. aluminum | white | Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

Prismatic

ACCESSORIES

90° Horizontal connector

180° Connector

Disposable cover

Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

PROFILI 74ALP

74ALP070



Types of installation:

Material:Extruded aluminum
Dimension:49×34.9mm
Length:MAX.3m
Compatible with 12.5mm drywall

74ALP071-S





CE IP20



FINISH

Anod. aluminum | white | Black

END CAPS

End cap with hole
End cap without hole



DIFFUSERS

PC diffused

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector

Disposable cover

Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

74ALP070-V





Types of installation:

Material: Extruded aluminum
Dimension: 50.6×30.1mm
Length: MAX 3m
Compatible with 12.5mm drywall

CE IP20

FINISH

Anod. aluminum | white | Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

ACCESSORIES

Disposable cover

PROFILI PER CARTONGESSO

74ALP159-TR

Types of installation:

Material: Extruded aluminum
Dimension: 40.7×51mm
Length: MAX 3m
Compatible with 12.5mm drywall



CE IP20

FINISH

Anod. aluminum | white | Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

Prismatic

ACCESSORIES

90° Horizontal connector

180° Connector

Disposable cover



Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

PROFILI 74ALP

74ALP068





PROFILI 74ALP

74ALP079





• PC diffused cover

End caps

Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural



PROFILI DA INCASSO

74SMOOTH12-



74SMOOTH12RAW



END CAP SMOOTH12 GREY

max 12 mm











DIFFUSER C CLICK TRANSPARENT

DIFFUSER C CLICK OPAL



DIFFUSER C CLICK BLACK

DIFFUSER C2 CLICK REEL OPAL OR BLACK

DIFFUSER B SLIDE OPAL



DIFFUSER B SLIDE FROSTED



DIFFUSER B SLIDE TRANSPARENT



CONNECTOR Q9-180DEG



CONNECTOR Q9-135DEG



CONNECTOR Q9-120DEG



CONNECTOR Q9-60DEG



CONNECTOR Q9-45DEG



CONNECTOR Q9-90DEG BENT



CONNECTOR Q9-90DEG

Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

PROFILI PER CARTONGESSO

Types of installation:

Material: Extruded aluminum
Dimension: 36.9×60mm
Length: MAX 3m

74 ALP189



CE IP20



FINISH

white

END CAPS

End Caps

DIFFUSERS

PC diffused

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector

PROFILI 74ALP

74ALP3535U



Colors

CCT 3000 K 4000 K 5000 K

Material:	Alu6063-T5/PC Opal-Diffuser/End cap
Surface Processing:	Anodization/Power coating
Installation:	Recessed
Size:	59.8(width) x 59.5(height)X 2500(length)mm
Application:	Indoor

AL-VS.3535U

PC-VS.3535U

EC-VS.3535U

PROFILI PER CARTONGESSO

Types of installation:

74ALP171

Material: Extruded aluminum
Dimension: 60.3×13.1mm
Length: MAX 3m
Compatible with 12.5mm drywall



FINISH

Anod. aluminum white Black

CE IP20



END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

Black diffused

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector



PROFILI PER CARTONGESSO

Types of installation:

74ALP172

Material: Extruded aluminum
Dimension: 75×13.1mm
Length: MAX 3m
Compatible with 12.5mm drywall

FINISH

Anod. aluminum white Black

CE IP20



END CAPS



End Caps

DIFFUSERS

PC diffused

Black diffused

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector



Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

PROFILI 74ALP

74ALP071





PROFILI PER CARTONGESSO



Types of installation:

74ALP110-S



Material: Extruded aluminum
Dimension: 65.4×28mm
Length: MAX 3m
Compatible with 12.5mm drywall

CE IP20

FINISH

Anod. aluminum | white | Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

ACCESSORIES

Disposable cover

Types of installation:

74ALP110-R



Material: Extruded aluminum
Dimension: 65.4×28mm
Length: MAX 3m
Compatible with 12.5mm drywall



CE IP20

FINISH

Anod. aluminum | white | Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

ACCESSORIES

Disposable cover

Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

74ALP168





Types of installation:

CE IP20

Material: Extruded aluminum
Dimension: 80×80mm
Length: MAX 3m
Compatible with 12.5mm drywall

FINISH

Anod. aluminum white Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

ACCESSORIES

Disposable cover

PROFILI PER CARTONGESSO

74ALP177

Types of installation:



Material: Extruded aluminum
Dimension: 63×26.2mm
Length: MAX 3m
Compatible with 12.5mm drywall



CE IP20

FINISH

Anod. aluminum white Black

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused

Prismatic

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector

Disposable cover

74ALP128-R

Types of installation:



Material: Extruded aluminum
Dimension: 88×23.7mm
Length: MAX 3m





CE IP20

FINISH

white

END CAPS

End Caps

DIFFUSERS

PC diffused

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector

Disposable cover

PROFILI PER CARTONGESSO

74ALP128





Types of installation:

CE IP20

FINISH

white

Material: Extruded aluminum
Dimension: 35×95.7mm
Length: MAX 3m
Compatible with 16mm drywall

END CAPS

End Caps

DIFFUSERS

PC diffused

ACCESSORIES

Disposable cover



Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

Types of installation:

74ALP126

Material: Extruded aluminum
Dimension: 94.4×34mm
Length: MAX 3m
Compatible with 12.5mm drywall





CE IP20

FINISH

white

END CAPS

End cap with hole
End cap without hole

DIFFUSERS

PC diffused
PC semi clear

ACCESSORIES

Disposable cover



PROFILI PER CARTONGESSO

Types of installation:

74ALP186

Material: Extruded aluminum
Dimension: 14.8×90.8mm
Length: MAX 3m
Compatible with 12.5mm drywall



CE IP20

FINISH

white

END CAPS

End Caps

DIFFUSERS

PC diffused

ACCESSORIES

90° Horizontal connector

90° Vertical connector

180° Connector

Disposable cover

Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

PROFILI 74ALP

74ALP082



• PC diffused cover

End caps



PROFILI 74POLY

74POLY/A
74POLY/B

74POLY/A

• **Dimensioni: 200 x 14,7 x 14,7**

74POLY/B

• **Dimensioni: 200 x 8,5 x 8,5**

Profili per mobili - Cartongessi - Sospensioni
Led Profile - Surface/Recessed/Corner and Architectural

74ALP081



Light Source: 2835SMD LED strip,140leds/m, double rows
Installation: Recessed in 5/8" drywall

74ALP083



Light Source: 2835SMD LED strip,210leds/m, three rows
Installation: Recessed in 5/8" drywall

74ALP085

Light Source: 2835SMD LED strip,120leds/m
Installation: Recessed in 5/8" drywall

74ALP086

Light Source:2835SMD LED strip,120leds/m
Installation:Recessed in 5/8" drywall

NOTE

NOTE

NOTE

NOTE

STUDIO 4M LUX S.R.L.S.

SEDE LEGALE/MAGAZZINO

Via Boschet 1/D

31010 Farra di Soligo

Tel: +39 0438 903313

Cell: +39 3479116273

Email: info@led4led.com

www.led4led.com