




CATALOGO PROFILI

2023/24

SEZIONE PARETE E
PAVIMENTI




Profili Led Profiles





PROFILI DA INCASSO



74WAY10-



COPERTURA WAY10
WHITE



COPERTURA WAY10
RAW





COPERTURA WAY10
BLACK



COPERTURA WAY10
ANOD




74CARC12RAW



DIFFUSER C CLICK
TRANSPARENT



DIFFUSER C CLICK OPAL




DIFFUSER C CLICK BLACK




DIFFUSER C2 CLICK REEL OPAL OR
BLACK



END CAP WAY10 SILVER



END CAP WAY10 WHITE




END CAP WAY10 GREY



END CAP WAY10 BLACK

PROFILI 74HL

74HL069





End Cap



Alu Profile (Back)



Screws



PROFILI PER PARETI

74ALP192





Types of Installation:



Material: Extruded aluminum
Dimension: 78.8×95mm
Length: MAX 3m

FINISH



END CAPS





End Caps

DIFFUSERS





PC diffused




PROFILI 74BAP

74BAPL019




End cap with hole
End cap without hole

74BAPL019EC1
74BAPL019ECO




Aluminum profile

74BAPL019PR




Mounting profile

74BAPL019MP



Aluminum profile for strips

74BAPL019PRS





PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover

74BAPL017O
74BAPL017ST
74BAPL017D



PROFILI 74BAP

74BAPL062



Aluminum profile

74BAPL062PR



Mounting Profile

74BAPL062MP



End cap without hole

74BAPL062ECO





PMMA opal matte cover
PMMA semi clear cover
PC diffused cover

74BAPL0010
74BAPL001ST
74BAPL001D


PROFILI 74BAP

74BAPL050



End cap with hole
End cap without hole

74BAPL050EC1
74BAPL050EC0



Aluminum profile

74BAPL050PR




PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover

74BAPL0010
74BAPL001ST
74BAPL001T
74BAPL001D





Mounting clip(metal)

74BAPL050MCM



PROFILI DA INCASSO

74WALLE12-



DIFFUSER C CLICK
TRANSPARENT




DIFFUSER C CLICK OPAL



DIFFUSER C2 CLICK REEL OPAL



DIFFUSER D CLICK OPAL





DIFFUSER B SLIDE FROSTED



74WALLE12W



74WALLE12RAW



74WALLE12AA



COPERTURA
WALLE12 WHITE



COPERTURA
WALLE12 RAW



COPERTURA
WALLE12 ANOD



END CAP WALLE12 D GREY



END CAP WALLE12 D WHITE



END CAP WALLE12 D SILVER





END CAP WALLE12 GREY



END CAP WALLE12 WHITE



END CAP WALLE12 SILVER




CONNECTOR WALLE12
180DEG INOX



CONNECTOR WALLE12
90DEG WHITE





CONNECTOR WALLE12
90DEG ANOD.



Note! Ending thickness increases the length of the luminaires (+ 2 x 2 mm).

PROFILI 74BAP

74BAPL049



Aluminum profile

74BAPL049PR



PC semi-clear cover
PC diffused cover

74BAPL049ST
74BAPL049D



End cap without hole

74BAPL049ECO




Mounting clip(metal)

74BAPL049MCM



PROFILI 74BAP

74BAPL023



End cap with hole
End cap without hole

74BAPL023EC1
74BAPL023EC0



Aluminum profile

74BAPL023PR






PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover

74BAPL0010
74BAPL001ST
74BAPL001T
74BAPL001D



PROFILI 74BAP

74BAPL063







PROFILI 74BAP

74BAPL011

74BAPL011TEST


74BAPL011EC1





PROFILI DA PARETE

74BACK10-



max 10 mm



74BACK10W









74BACK10RAW



74BACK10AA




74BACK10B



DIFFUSER A SLIDE OPAL



DIFFUSER A SLIDE FROSTED



DIFFUSER A SLIDE
TRANSPARENT



END CAP SLIM8 SILVER



END CAP SLIM8 WHITE




END CAP SLIM8 GREY



END CAP SLIM8 BLACK



CONNECTOR X 180DEG






MOUNTING PLATE U CONE
INOX



MOUNTING PLATE U INOX




MOUNTING PLATE X




PROFILI 74ALP

74ALP076



PROFILI PER PARETI



Types of installation:



Material: Extruded aluminum
Dimension: 114.2x50.1mm
Length: MAX 3m

74ALP193



FINISH



Anod. aluminum white Black

END CAPS



End Caps

DIFFUSERS



PC diffused

ACCESSORIES



90° Connector



90° Vertical connector



180° Connector




PROFILI PER PARETI

Types of Installation:





Material: Extruded aluminum
Dimension: 42x35mm
Length: MAX 3m



P20

74ALP019-R



FINISH



Anod. aluminum



white



Black

END CAPS



End cap with hole
End cap without hole

DIFFUSERS



PC diffused

ACCESSORIES



90° Horizontal connector



90° Vertical connector





180° Connector



Mounting clip (metal)

PROFILI PER SOFFITTO

74S18



IP65



Features

- Made of highly flexible silicone, 360° light emission, matt surface
- Free cutting, minimum cutting distance of 5mm
- Choice of 2 color temperatures (3000K/4000K)
- 14w/m, 850Lm/W, in door use, 24V

END CAPS



Surface

DIFFUSERS



Vertical ceiling surface



Channel surface


ACCESSORIES



Clip




Steel wire



PROFILI 74BAP

74BAPL009




End cap with hole
End cap without hole

74BAPL009EC1
74BAPL009EC0




Aluminum profile

74BAPL009PR




PMMA opal matte cover

74BAPL0090




PROFILI 74BAP

74BAPL034



End cap with hole
End cap without hole

74BAPL034EC1
74BAPL034EC0





Aluminum profile

74BAPL034PR



PC diffused cover

74BAPL034D




PROFILI 74BAP

74BAPL022



End cap with hole
End cap without hole

74BAPL022EC1
74BAPL022EC0



Aluminum profile

74BAPL022PR




PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover

74BAPL0010
74BAPL001ST
74BAPL001T
74BAPL001D



PROFILI 74BAP

74BAPL024



End cap with hole
End cap without hole

74BAPL024EC1
74BAPL024ECO




Aluminum profile

74BAPL024PR



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover

74BAPL0010
74BAPL001ST
74BAPL001T
74BAPL001D



[illegible][illegible]

[illegible]



STUDIO 4M LUX S.R.L.S.

SEDE LEGALE/MAGAZZINO

Via Boschet 1/D

31010 Farra di Soligo

Tel: +39 0438 903313

Cell: +39 3479116273

Email: info@led4led.com

www.led4led.com

